

WIKAL Alexander Wiegand SE & Co. KG  
PF 1180 • 63908 Klingenberg • Germany

DELTA TECH GmbH  
Farshad Shoarian  
ALSTER TOWER  
Lübecker Straße 1  
22087 Hamburg  
Germany

*Delivery address*  
Engemann u. Co Internationale Spedition GmbH  
For Alfons Köster / in order Delta GmbH  
Otto-Hahn-Str. 29  
40721 Hilden  
Germany

## Quotation

## Q110071983-3

11/10/2024

Customer no.	43327028		
Inquiry date	25/09/2024	Contact	Priti Gaikar
Contact	Farshad Shoarian	Phone	+91 20-6629330
E-Mail	planning@delta-gmbh.eu	E-Mail	Priti.Gaikar@wika.com
VAT-No.	DE4871404580		
Terms of payment	30 days net	Mode of delivery	Special Agreement
Discount	no cash discount	Terms of delivery	EXW - EX Works
Currency	EUR		

### Position overview

Line	Qty Unit	Item	Your item number	Delivery time	Unit price	per	Net value
010	2,0000 Pcs			7-8 weeks	9.075,67	/1	18.151,34
		BNA-2"/300/RF-MG-M1,220-L60x2.77-MRFV/SVP-ZTSS355/PN25/R48H-Ex					
020	2,0000 Pcs			12-14 weeks	673,17	/1	1.346,34
		TLS-ADNPTV-3/4"-JT-L150					
030	1,0000 Pcs				467,00	/1	467,00

**EUR**

Net value of goods	19.964,67
Discount	-6.044,29
Wooden Packaging	390,00
<b>Total net amount</b>	<b>14.310,38</b>
VAT not included	

\* For discounts and surcharges, please see detailed quote on next page(s).

WIKAL Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
info@wika.de  
www.wika.de  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKAL International SE – Pöb Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60

**Quotation Q110071983-3**

43327028 DELTA TECH GmbH, Hamburg

Page 2 / 6

11/10/2024

**Detailed quotation**

Line	Qty Unit	Item	Your item number	Delivery time	Unit price	per	Net value
------	----------	------	------------------	---------------	------------	-----	-----------

010	2,0000 Pcs			7-8 weeks	9.075,67	/1	18.151,34
-----	------------	--	--	-----------	----------	----	-----------

BNA-CMB02200120-0451220A04371CZS  
 BNA-BM1GBA521RZZZB2ZZA521B2ZZ2SKTR355Z2ZZ3#  
 BMD-CM20925L1PZZ  
 BLM-CMFZ8M241220Z3  
 CERT31-EG87-BH-CH- - - - -  
 CERT31-EG83-A1- - - - -  
 BNA-2"/300/RF-MG-M1,220-L60x2.77-MRFV/SVP-ZTSS355/PN25/R48H-Ex  
 Magnetic Level Gauge Type BNA-S00C  
 Approval: ATEX Ex h; IBExU20ATEX1066 X II 1/2G Ex h IIB T6...T1 Ga/Gb, II -/2D Ex h IIIC  
 T68°C...T360°C -/Db  
 Pressure: 22.0 bar ; Temp.: -45 °C...120°C; Fluid density: 437 kg/m³  
 Design code: ASME B31.3  
 Test pressure: 33 bar  
 Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404)  
 Process connection: Flange ASME B16.5 2" 300# Form RF  
 Distance C-to-C: 1220 mm  
 Measuring range: 925 mm  
 Chamber end top: Pipe cap  
 Chamber end bottom: Flange ASME B16.5 2" 300# Form RF  
 Vent connection: Needle valve female 3/4"NPT  
 Drain connection: Needle valve female 3/4"NPT  
 Float: ZTSS355/PN25/R48H  
 Dampening element: Dampening spring, bottom & top, with cover  
 Gasket(s): Spiral wound type, SS 316L/Graphite  
 Bolting: UNC series, stainless steel A193 Gr. B8 CL2 / A194 Gr. 8  
 Top stand-off (T): 100 mm  
 Bottom stand-off (U): 250 mm  
 Distance lower process connection to end of the drain: 420 mm (max.)  
 Side distance (X): 170mm(maximal)  
 Nameplate: Stainless steel laser printed  
 \*\*\*

Additional ordering information: Drain Valve bend by 90 Deg angle at 180 Deg

MRFV/SVP-M925  
 Level Indicator for Magnetic Level Gauge Type BMD-FR  
 Measuring range: 925 mm  
 Housing material: Stainless steel, 316  
 Indicating elements: Stainless steel flaps Red & white  
 Graduated scale: Stainless steel engraved, left Graduation unit: %  
 Indicator window: Makrolon PC  
 Float failure indication: With (red-white)

BLM-TBI-VL1,075/M925  
 Magnetostrictive Level Transmitter for Magnetic Level Gauge Type BLM-TBI  
 Approval: ATEX - Ex i ; TÜV 18 ATEX 225120 X II 2 G Ex ia IIC T6...T1 Gb; II 2 D Ex ia IIIC TX°C  
 Db  
 Process temperature: -65°C ... +125°C  
 Ambient temperature: -20°C ... +85°C

WIKAL Alexander Wiegand SE & Co. KG  
 Alexander-Wiegand-Straße 30  
 63911 Klingenberg  
 Germany  
 Phone +49 9372 132-0  
 Fax +49 9372 132-406  
 info@wika.de  
 www.wika.de  
 WEEE-Reg-Nr. DE 92770372  
 VAT.No.: DE131878642

Limited partnership company:  
 Place of business Klingenberg  
 Local court Aschaffenburg HRA 1819  
 General partner:  
 WIKAL International SE – Pöb Klingenberg  
 Local court Aschaffenburg HRB 10505  
 Chairman of the board: Alexander Wiegand  
 Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
 Commerzbank Aschaffenburg  
 BIC: COBADEFF795  
 IBAN DE57 7954 0049 0104 1177 00  
 Sparkasse Aschaffenburg Miltenberg  
 BIC: BYLADEM11ASA  
 IBAN: DE95 7955 0000 0430 1062 94  
 Sydbank (DKK Payments)  
 BIC: SYBKDK22  
 IBAN: DK02 8072 0001 0403 60

**Quotation** **Q110071983-3**

43327028 DELTA TECH GmbH, Hamburg

Page 3 / 6

11/10/2024

**Detailed quotation**

Line	Qty Unit	Item	Your item number	Delivery time	Unit price	per	Net value
------	----------	------	------------------	---------------	------------	-----	-----------

Material housing: Stainless steel IP68  
 LCD display: With  
 Electrical connection: M20 x 1.5 mm with cable gland  
 Output signal: 4-20 mA - HART Ver. 6  
 Housing location: Bottom mounted straight - housing orientation 9 o'clock / 270°  
 Guide tube: OD 12 mm  
 Measuring range: 925 mm  
 Sensor tube length: 1075 mm

Permissible temperatures for the transmitter bypass mounting (BLM): Permissible surface temperature of the tube and ambient temperature of the housing see note in OI  
 Inspection certificate 3.1 per EN 10204  
 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1  
 Certificate Language: English and German  
 Certificate for: Magnetic level gauge standard  
 Material certificate: Wetted pressure retaining parts material with mill certificate incl. chemical analysis (metals only)  
 Hydrostatic pressure test: Internal pressure test  
 Inspection certificate 3.1 per EN 10204  
 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1  
 Certificate Language: English and German  
 Certificate for: Level transmitter for magnetic level gauge  
 Accuracy: Test report confirming sensor accuracy

TAG-1 (SS tag plate)  
 LG-RU0001A-03; LG-RU0001B-03  
 Customs tariff number: 90261089

Discount 31,00%	-5.626,92
<b>Line total</b>	<b>12.524,42</b>

**Link to product details**

[https://en-co.wika.de/bna\\_en\\_co.WIKA](https://en-co.wika.de/bna_en_co.WIKA)  
[https://en-co.wika.de/bna\\_en\\_co.WIKA](https://en-co.wika.de/bna_en_co.WIKA)  
[https://en-co.wika.de/bmd\\_en\\_co.WIKA](https://en-co.wika.de/bmd_en_co.WIKA)  
[https://en-co.wika.de/blm\\_en\\_co.WIKA](https://en-co.wika.de/blm_en_co.WIKA)

020	2,0000 Pcs			12-14 weeks	673,17	/1	1.346,34
-----	------------	--	--	-------------	--------	----	----------

TLS-CBMDZ1000-04001501C1GA3ZZTG2ZZ0137C5Z  
 CERT22-EG8T-AA- - - - -  
 CERT31-EG8T-BG- - - - -  
 TLS-ADNPTV-3/4"-JT-L150  
 Tuning Fork Level Switch TLS-SAD  
 Approval: ATEX Ex d  
 Temp.: -40°C...150°C  
 Material: Stainless steel 316L (DIN 1.4404)  
 Power supply: DC 10 ... 30 V  
 Output: Relay DPDT  
 Electrical connection: Housing Aluminum  
 Cable gland: M20x1,5 with cable gland

WIKA Alexander Wiegand SE & Co. KG  
 Alexander-Wiegand-Straße 30  
 63911 Klingenberg  
 Germany  
 Phone +49 9372 132-0  
 Fax +49 9372 132-406  
 info@wika.de  
 www.wika.de  
 WEEE-Reg-Nr. DE 92770372  
 VAT.No.: DE131878642

Limited partnership company:  
 Place of business Klingenberg  
 Local court Aschaffenburg HRA 1819  
 General partner:  
 WIKA International SE – Pöb Klingenberg  
 Local court Aschaffenburg HRB 10505  
 Chairman of the board: Alexander Wiegand  
 Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
 Commerzbank Aschaffenburg  
 BIC: COBADEFF795  
 IBAN DE57 7954 0049 0104 1177 00  
 Sparkasse Aschaffenburg Miltenberg  
 BIC: BYLADEM1ASA  
 IBAN: DE95 7955 0000 0430 1062 94  
 Sydbank (DKK Payments)  
 BIC: SYBKDK22  
 IBAN: DK02 8072 0001 0403 60

**Quotation Q110071983-3**

43327028 DELTA TECH GmbH, Hamburg

Page 4 / 6

11/10/2024

**Detailed quotation**

Line	Qty	Unit	Item	Your item number	Delivery time	Unit price	per	Net value

**Link to product details**
[https://en-co.wika.de/tls\\_s\\_en\\_co.WIKA](https://en-co.wika.de/tls_s_en_co.WIKA)

030	1,0000 Pcs				467,00	/1	467,00
-----	------------	--	--	--	--------	----	--------

Documentation for Level Products  
 Documentation includes:  
 :: WIKA Designation ::  
 - Document Index List  
 - Dimensional drawings for approval with part list , Group drawings with detail list  
 - Catalogue sheet  
 - Installation and operating manual (IOM)  
 - Pressure test certificate  
 - Material certificate 3.1 EN 10204  
 - Accuracy test certificate of transmitters  
 - Certificate 2.2 EN 10204 (order)  
 - ATEX conformity declaration  
 - Handling, transport and storage procedure

THIS OFFER DOES NOT INCLUDE FURTHER TESTING OR DOCUMENTATION THAN THE ONES LISTED ABOVE.  
 SHOULD FURTHER TESTING OR DOCUMENTATION (WHERE AVAILABLE AND APPLICABLE) BE REQUIRED IT CAN BE OFFERED AT EXTRA CHARGE.  
 NO OTHER TYPES OF TEST OR DOCUMENTATION WILL BE PROVIDED LATER AND/OR IN FUTURE, IF NOT  
 PREVIOUSLY AGREED BEFORE ISSUING OF THE POSSIBLE ORDER.

WIKAL Alexander Wiegand SE & Co. KG  
 Alexander-Wiegand-Straße 30  
 63911 Klingenberg  
 Germany  
 Phone +49 9372 132-0  
 Fax +49 9372 132-406  
 info@wika.de  
 www.wika.de  
 WEEE-Reg-Nr. DE 92770372  
 VAT.No.: DE131878642

Limited partnership company:  
 Place of business Klingenberg  
 Local court Aschaffenburg HRA 1819  
 General partner:  
 WIKAL International SE – Pöb Klingenberg  
 Local court Aschaffenburg HRB 10505  
 Chairman of the board: Alexander Wiegand  
 Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
 Commerzbank Aschaffenburg  
 BIC: COBADEFF795  
 IBAN DE57 7954 0049 0104 1177 00  
 Sparkasse Aschaffenburg Miltenberg  
 BIC: BYLADEM1ASA  
 IBAN: DE95 7955 0000 0430 1062 94  
 Sydbank (DKK Payments)  
 BIC: SYBKDK22  
 IBAN: DK02 8072 0001 0403 60

Quotation Q110071983-3  
43327028 DELTA TECH GmbH, Hamburg

Detailed quotation

Line	Qty Unit	Item	Your item number	Delivery time	Unit price	per	Net value
------	----------	------	------------------	---------------	------------	-----	-----------

If welding or NDT is on the documentation scope, please be aware:  
Welding:  
WIKAL disposes over all necessary, valid procedure qualification records (PQR) and work samples for the materials offered.  
Order-related WPS (Welding Procedure Specification) will only be made available once the associated drawings have been approved.  
NDT:  
The offered non-destructive tests are carried out according to valid existing WIKAL procedures. These procedures meet the requirements of the relevant DIN and ASME section V standards. Additional customer requirements (with regards to welding and/or NDT) can be incorporated and included as an annex. Effort will be calculated and invoiced at actual  
Customs tariff number: 49119900

	EUR
Net value of goods	19.964,67
Discount	-6.044,29
Wooden Packaging	390,00
Total net amount	14.310,38
VAT not included	

Valid until: 25/10/2024

#####

Export Restriction

- (1) The Customer/Recipient shall not, at any time, sell and/or export and/or re-export, directly or indirectly,
- a) to the Russian Federation; and/or
  - b) to territories occupied by Russian Federation; and/or
  - c) to the Republic of Belarus; and/or
  - d) for use in the Russian Federation; and/or
  - e) for use in territories occupied by Russian Federation; and/or
  - f) for use in the Republic of Belarus
- directly or indirectly any
- i. item(s) herein listed ("Item(s)"); and/or
  - ii. any intellectual property; and/or
  - iii. know-how; and/or
  - iv. any other confidential information whatsoever supplied or brought to attention to the Customer/Recipient howsoever under or in connection with this Agreement.
- (2) The Customer/Recipient shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.
- (3) The Customer/Recipient shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).
- (4) Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this Agreement, and WIKAL shall be entitled to seek appropriate remedies, including, but not limited to:
- i. termination of this Agreement; and/or
  - ii. a penalty of 10 % of the total value of this Agreement or price of the items exported, whichever is higher.

WIKAL Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
info@wika.de  
www.wika.de  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKAL International SE – Pöb Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60



**Quotation** **Q110071983-3**  
43327028 DELTA TECH GmbH, Hamburg

Page 6 / 6  
11/10/2024

(5) The Customer/Recipient shall immediately inform WIKA about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The Customer/Recipient shall make available to WIKA information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

# # # # #

The delivery time refers to a technically specified product in combination with the current production capacity.

This document has been processed automatically and is valid without signature.

The sales and service conditions of WIKA Alexander Wiegand SE & Co. KG apply, which you can find at [https://www.wika.com/en-en/t\\_cs.WIKA](https://www.wika.com/en-en/t_cs.WIKA).

Information regarding WIKA and our products as well as instruction manuals, CE Declaration of conformity and approvals can be found online at [www.wika.de](http://www.wika.de).

Fast calibration of temperature probes with the new standard line in our calibration lab!  
If this is interesting for you please contact us, E-Mail: [service.de@wika.com](mailto:service.de@wika.com), Tel.: +49 9372 132 5049

Sales group	Maria Stamm
Phone	+49 9372 132-8814
E-Mail	Maria.Stamm@wika.com

WIKAI Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
info@wika.de  
www.wika.de  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKA International SE – Pob Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60