

WIKAL Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Str. 30 • 63911 Klingenberg • Germany

Engemann u. Co Internationale Spedition GmbH
For Alfons Köster / in order Delta GmbH
Otto-Hahn-Str. 29
40721 Hilden
Germany

Order address:
DELTA TECH GmbH
Farshad Shoarian
ALSTER TOWER
Lübecker Straße 1
22087 Hamburg
Germany

Delivery note

DN00862607

04/03/2025

Customer no.	43327028	Sales order no.	S110243933
Order date	17/10/2024	Contact	Andreas Vallelonga
Contact	Farshad Shoarian	Phone	+49 9372 132-2713
VAT-No.	DE4871404580	Telefax	+49 9372 132-802727
		E-Mail	Andreas.Vallelonga@wika.com
Invoice address	DELTA TECH GmbH ALSTER TOWER Lübecker Straße 1 22087 Hamburg Germany	Number of cartons	2
		Gross/net weight	87,00 / 63,00 kg
		Mode of delivery	Special Agreement
		Terms of delivery	EXW - EX Works
		Place of destination	Mosbach

Line	Qty Unit	Item
001	2,00 Pcs	ZT3751.01 BNA-2"/300/RF-MG-M1,220-L60x2.77-MRFV/SVP-ZTSS355/PN25/R48H-Ex Magnetic Level Gauge Type BNA-S00C Approval: ATEX Ex h; IBExU20ATEX1066 X II 1/2G Ex h IIB T6...T1 Ga/Gb, II -/2D Ex h IIIC T68°C...T360°C -/Db Pressure: 22.0 bar ; Temp.: -45 °C...120°C; Fluid density: 437 kg/m³ Design code: ASME B31.3 Test pressure: 33 bar Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404) Process connection: Flange ASME B16.5 2" 300# Form RF Distance C-to-C: 1220 mm Measuring range: 925 mm Chamber end top: Pipe cap Chamber end bottom: Flange ASME B16.5 2" 300# Form RF Vent connection: Needle valve female 3/4"NPT Drain connection: Needle valve female 3/4"NPT Float: ZTSS355/PN25/R48H Dampening element: Dampening spring, bottom & top, with cover Gasket(s): Spiral wound type, SS 316L/Graphite Bolting: UNC series, stainless steel A193 Gr. B8 CL2 / A194 Gr. 8 Top stand-off (T): 100 mm Bottom stand-off (U): 250 mm Distance lower process connection to end of the drain: 420 mm (max.) Side distance (X): 170mm(maximal) Nameplate: Stainless steel laser printed

WIKAL Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKAL International SE – Pöb Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM11ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60

Delivery note **DN00862607**
43327028 DELTA TECH GmbH, Hamburg

Page 2 / 4
04/03/2025

Line	Qty Unit	Item
------	----------	------

Additional ordering information: Drain Valve bend by 90 Deg angle at 180 Deg

MRFV/SVP-M925

Level Indicator for Magnetic Level Gauge Type BMD-FR

Measuring range: 925 mm

Housing material: Stainless steel, 316

Indicating elements: Stainless steel flaps Red & white

Graduated scale: Stainless steel engraved, left Graduation unit: %

Indicator window: Makrolon PC

Float failure indication: With (red-white)

BLM-TBI-VL1,075/M925

Magnetostrictive Level Transmitter for Magnetic Level Gauge Type BLM-TBI

Approval: ATEX - Ex i ; TÜV 18 ATEX 225120 X II 2 G Ex ia IIC T6...T1 Gb; II 2 D Ex ia IIC TX°C Db

Ambient temperature: -20°C ... +85°C

Material housing: Stainless steel IP68

LCD display: With

Electrical connection: M20 x 1.5 mm with cable gland

Output signal: 4-20 mA - HART Ver. 6

Housing location: Bottom mounted straight - housing orientation 9 o'clock / 270°

Guide tube: OD 12 mm

Measuring range: 925 mm

Sensor tube length: 1075 mm

Permissible temperatures for the transmitter bypass mounting (BLM): Permissible surface temperature of the tube and ambient temperature of the housing see note in OI

Inspection certificate 3.1 per EN 10204

Certificate type: Inspection certificate acc. to DIN EN 10204 3.1

Certificate Language: English and German

Certificate for: Magnetic level gauge standard

Material certificate: Wetted pressure retaining parts material with mill certificate incl. chemical analysis (metals only)

Hydrostatic pressure test: Internal pressure test

Inspection certificate 3.1 per EN 10204

Certificate type: Inspection certificate acc. to DIN EN 10204 3.1

Certificate Language: English and German

Certificate for: Level transmitter for magnetic level gauge

Accuracy: Test report confirming sensor accuracy

TAG-1 (SS tag plate)

LG-RU0001A-03; LG-RU0001B-03

Customs tariff number: 90261089

Country of origin: DE

002	2,00 Pcs	14736272
-----	----------	----------

WIKAL Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKAL International SE – Pöb Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM1ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60



Delivery note **DN00862607**
43327028 DELTA TECH GmbH, Hamburg

Page 3 / 4
04/03/2025

Line	Qty	Unit	Item
			TLS-ADNPTV-3/4"-JT-L150 Tuning Fork Level Switch TLS-SAD Approval: ATEX Ex d Temp.: -40°C...150°C Material: Stainless steel 316L (DIN 1.4404) Power supply: DC 10 ... 30 V Output: Relay DPDT Electrical connection: Housing Aluminum Cable gland: M20x1,5 with cable gland Ingress protection: IP66/IP68 Process connection: Mounting thread downwards 3/4"NPT Switch position 1: 137 mm Insertion length (L): 150 mm Extension: 86 mm Length of tuning fork: 42 mm Nameplate: Stainless steel laser printed Additional ordering information: TAG-1 (VA-Schild) LS-RU0001A-01; LS-RU0001B-01 Test report 2.2 per EN 10204 Certificate Language: English and German Certificate for: Vibrating level switch Formal certificate: Manufactured according to state-of-the-art Inspection certificate 3.1 per EN 10204 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1 Certificate Language: English and German Certificate for: Vibrating level switch Material certificate: Wetted parts material (metal contents) TAG-1 (SS tag plate) LT-RU0001A-01; LT-RU0001B-01 Materialcode: 11TDDW - 1 Customs tariff number: 90318080 Country of origin: CN

Information regarding WIKA and our products as well as instruction manuals, CE Declaration of conformity and approvals can be found online at www.wika.de.

Thank you for the order you placed with us. We will execute it in accordance with our General Sales - and Service Conditions, which you can find at https://www.wika.com/en-en/t_cs.WIKA.

[illegible]

Export Restriction

- (1) The Customer/Recipient shall not, at any time, sell and/or export and/or re-export, directly or indirectly,
- a) to the Russian Federation; and/or
 - b) to territories occupied by Russian Federation; and/or
 - c) to the Republic of Belarus; and/or
 - d) for use in the Russian Federation; and/or
 - e) for use in territories occupied by Russian Federation; and/or
 - f) for use in the Republic of Belarus

WIKA Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKa International SE – Pob Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM1ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60



directly or indirectly any

- i. item(s) herein listed ("Item(s)"); and/or
- ii. any intellectual property; and/or
- iii. know-how; and/or
- iv. any other confidential information whatsoever supplied or brought to attention to the Customer/Recipient howsoever under or in connection with this Agreement.

(2) The Customer/Recipient shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

(3) The Customer/Recipient shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

(4) Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this Agreement, and WIKA shall be entitled to seek appropriate remedies, including, but not limited to:

- i. termination of this Agreement; and/or
- ii. a penalty of 10 % of the total value of this Agreement or price of the items exported, whichever is higher.

(5) The Customer/Recipient shall immediately inform WIKA about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The Customer/Recipient shall make available to WIKA information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

[illegible]

Sales group Maria Stamm
Phone +49 9372 132-8814
E-Mail Maria.Stamm@wika.com