

WIKAL Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Str. 30 • 63911 Klingenberg • Germany

DELTA TECH GmbH  
ALSTER TOWER  
Lübecker Straße 1  
22087 Hamburg  
Deutschland

*Delivery address*  
Engemann u. Co Internationale Spedition GmbH  
Für Alfons Köster / in order Delta GmbH  
Otto-Hahn-Str. 29  
40721 Hilden  
Germany

## Invoice

06/03/2025

Customer no.	43327028	Sales order no.	S110243933
Date of supply	04/03/2025	Delivery note	DN00862607
Order date	17/10/2024	Contact	Andreas Vallelonga
Contact	Farshad Shoarian	Phone	+49 9372 132-2713
VAT-No.	DE4871404580	Telefax	+49 9372 132-802727
Service recipient	DELTA TECH GmbH ALSTER TOWER Lübecker Straße 1 22087 Hamburg Deutschland	E-Mail	Andreas.Vallelonga@wika.com
		Shipment no.	SHP011031613
Terms of payment	30 days net	Number of cartons	2
Discount	no cash discount	Gross/net weight	87,00 / 63,00 kg
Currency	EUR	Mode of delivery	Special Agreement
		Terms of delivery	EXW - EX Works

Package number B01100064633 / B01100064634

Line	Qty Unit	Item	Unit price	per	Net value
001	2,0000 Pcs	ZT3751.01 BNA-2"/300/RF-MG-M1,220-L60x2.77-MRFV/SVP-ZTSS355/PN25/R48H-Ex Magnetic Level Gauge Type BNA-S00C Approval: ATEX Ex h; IBExU20ATEX1066 X II 1/2G Ex h IIB T6...T1 Ga/Gb, II -/2D Ex h IIIC T68°C...T360°C -/Db Pressure: 22.0 bar ; Temp.: -45 °C...120°C; Fluid density: 437 kg/m³ Design code: ASME B31.3 Test pressure: 33 bar Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404) Process connection: Flange ASME B16.5 2" 300# Form RF Distance C-to-C: 1220 mm Measuring range: 925 mm Chamber end top: Pipe cap Chamber end bottom: Flange ASME B16.5 2" 300# Form RF Vent connection: Needle valve female 3/4"NPT Drain connection: Needle valve female 3/4"NPT Float: ZTSS355/PN25/R48H Dampening element: Dampening spring, bottom & top, with cover	9.075,67	/1,00	18.151,34

WIKAL Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
info@wika.de  
www.wika.de  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKAL International SE – Pöb Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60

**Invoice**

43327028 DELTA TECH GmbH, Hamburg

Page 2 / 5

06/03/2025

Line	Qty Unit	Item	Unit price	per	Net value
------	----------	------	------------	-----	-----------

Gasket(s): Spiral wound type, SS 316L/Graphite  
 Bolting: UNC series, stainless steel A193 Gr. B8 CL2 / A194 Gr. 8  
 Top stand-off (T): 100 mm  
 Bottom stand-off (U): 250 mm  
 Distance lower process connection to end of the drain: 420 mm (max.)  
 Side distance (X): 170mm(maximal)  
 Nameplate: Stainless steel laser printed  
 \*\*\*

Additional ordering information: Drain Valve bend by 90 Deg angle at 180 Deg  
 MRFV/SVP-M925  
 Level Indicator for Magnetic Level Gauge Type BMD-FR  
 Measuring range: 925 mm  
 Housing material: Stainless steel, 316  
 Indicating elements: Stainless steel flaps Red & white  
 Graduated scale: Stainless steel engraved, left Graduation unit: %  
 Indicator window: Makrolon PC  
 Float failure indication: With (red-white)  
 BLM-TBI-VL1,075/M925  
 Magnetostrictive Level Transmitter for Magnetic Level Gauge Type BLM-TBI  
 Approval: ATEX - Ex i ; TÜV 18 ATEX 225120 X II 2 G Ex ia IIC T6...T1 Gb; II 2 D Ex ia IIC TX°C Db  
 Ambient temperature: -20°C ... +85°C  
 Material housing: Stainless steel IP68  
 LCD display: With  
 Electrical connection: M20 x 1.5 mm with cable gland  
 Output signal: 4-20 mA - HART Ver. 6  
 Housing location: Bottom mounted straight - housing orientation 9 o'clock / 270°  
 Guide tube: OD 12 mm  
 Measuring range: 925 mm  
 Sensor tube length: 1075 mm  
 Permissible temperatures for the transmitter bypass mounting (BLM): Permissible surface temperature of the tube and ambient temperature of the housing see note in OI  
 Inspection certificate 3.1 per EN 10204  
 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1  
 Certificate Language: English and German  
 Certificate for: Magnetic level gauge standard  
 Material certificate: Wetted pressure retaining parts material with mill certificate incl. chemical analysis (metals only)  
 Hydrostatic pressure test: Internal pressure test  
 Inspection certificate 3.1 per EN 10204  
 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1  
 Certificate Language: English and German  
 Certificate for: Level transmitter for magnetic level gauge  
 Accuracy: Test report confirming sensor accuracy  
 TAG-1 (VA-Schild)  
 LG-RU0001A-03; LG-RU0001B-03  
 Customs tariff number: 90261089  
 Level gauge, devices for measuring or monitor flow or fill height of liquids  
 Country of origin: DE  
 preferential: Yes

Discount 31,00%	-5.626,92
<b>Line total</b>	<b>12.524,42</b>

[Link to product details](#)

WIKAL Alexander Wiegand SE & Co. KG  
 Alexander-Wiegand-Straße 30  
 63911 Klingenberg  
 Germany  
 Phone +49 9372 132-0  
 Fax +49 9372 132-406  
 info@wika.de  
 www.wika.de  
 WEEE-Reg-Nr. DE 92770372  
 VAT.No.: DE131878642

Limited partnership company:  
 Place of business Klingenberg  
 Local court Aschaffenburg HRA 1819  
 General partner:  
 WIKAL International SE – Pöb Klingenberg  
 Local court Aschaffenburg HRB 10505  
 Chairman of the board: Alexander Wiegand  
 Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
 Commerzbank Aschaffenburg  
 BIC: COBADEFF795  
 IBAN DE57 7954 0049 0104 1177 00  
 Sparkasse Aschaffenburg Miltenberg  
 BIC: BYLADEM1ASA  
 IBAN: DE95 7955 0000 0430 1062 94  
 Sydbank (DKK Payments)  
 BIC: SYBKDK22  
 IBAN: DK02 8072 0001 0403 60

**Invoice**

43327028 DELTA TECH GmbH, Hamburg

Page 3 / 5

06/03/2025

Line	Qty Unit	Item	Unit price	per	Net value
		<a href="https://en-co.wika.de/bna_en_co.WIKA">https://en-co.wika.de/bna_en_co.WIKA</a> <a href="https://en-co.wika.de/bna_en_co.WIKA">https://en-co.wika.de/bna_en_co.WIKA</a> <a href="https://en-co.wika.de/bmd_en_co.WIKA">https://en-co.wika.de/bmd_en_co.WIKA</a> <a href="https://en-co.wika.de/blm_en_co.WIKA">https://en-co.wika.de/blm_en_co.WIKA</a>			
002	2,0000 Pcs	14736272 TLS-ADNPTV-3/4"-JT-L150 Tuning Fork Level Switch TLS-SAD Approval: ATEX Ex d Temp.: -40°C...150°C Material: Stainless steel 316L (DIN 1.4404) Power supply: DC 10 ... 30 V Output: Relay DPDT Electrical connection: Housing Aluminum Cable gland: M20x1,5 with cable gland Ingress protection: IP66/IP68 Process connection: Mounting thread downwards 3/4"NPT Switch position 1: 137 mm Insertion length (L): 150 mm Extension: 86 mm Length of tuning fork: 42 mm Nameplate: Stainless steel laser printed Additional ordering information: TAG-1 (VA-Schild) LS-RU0001A-01; LS-RU0001B-01 Test report 2.2 per EN 10204 Certificate Language: English and German Certificate for: Vibrating level switch Formal certificate: Manufactured according to state-of-the-art Inspection certificate 3.1 per EN 10204 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1 Certificate Language: English and German Certificate for: Vibrating level switch Material certificate: Wetted parts material (metal contents) TAG-1 (VA-Schild) LT-RU0001A-01; LT-RU0001B-01 Customs tariff number: 90318080 Level indicator Customs price per unit: 9.075,67 Country of origin: CN preferential: No	464,49	/1,00	928,98
		Discount 31,00%	-287,98		
		Tag plates	6,00		
		<b>Line total</b>	<b>647,00</b>		
		<b>Link to product details</b> <a href="https://en-co.wika.de/tls_s_en_co.WIKA">https://en-co.wika.de/tls_s_en_co.WIKA</a>			

**Invoice**

43327028 DELTA TECH GmbH, Hamburg

Page 4 / 5

06/03/2025

	EUR
Net value of goods	16.033,89
Discount	-4.970,51
Position markup	6,00
Wooden Packaging	390,00
Total net amount	11.396,15
VAT 19,00 %	2.165,27
<b>Total gross amount</b>	<b>13.561,42</b>

Information regarding WIKAL and our products as well as instruction manuals, CE Declaration of conformity and approvals can be found online at [www.wika.de](http://www.wika.de).

Suppliers' declaration for products having preferential origin status

**DECLARATION**

I, the undersigned, declare that the goods listed on this document and marked > preferential Yes < originate in the EEC / EU and satisfy the rules of origin governing preferential trade with AL, BA, CH, CL, DZ, EG, FO, IL, JO, LB, LI, MA, ME, MK, MX, NO, PS, TN, XC, XL, AG, BB, BS, BZ, DM, DO, GD, GY, JM, KN, LC, SR, TT, VC, KR, PG, FJ, IS, XS, MG, MU, SC, ZW, NI, PA, HN, CR, SV, GT, PE, CO, GE, MD, XK, UA, CI, CM, EC, BW, LS, NA, ZA, SZ.

I declare, that:

☐ Cumulation applied with ... (name of the country/countries).

☒ No cumulation applied.

I undertake to make available to the customs authorities any further supporting documents they require.

Klingenberg, 06/03/2025

sig. i. V. Helmut Schwarz  
Head of Customs and Export Control  
Corporate Logistics

This declaration has been printed automatically and has therefore no handwritten signature.  
However, it is valid as letter of commitment as per decree (EU) No. 2015/2447 art. 63 par. 3.

#####

**Export Restriction**

- (1) The Customer/Recipient shall not, at any time, sell and/or export and/or re-export, directly or indirectly,
- a) to the Russian Federation; and/or
  - b) to territories occupied by Russian Federation; and/or
  - c) to the Republic of Belarus; and/or
  - d) for use in the Russian Federation; and/or
  - e) for use in territories occupied by Russian Federation; and/or
  - f) for use in the Republic of Belarus
- directly or indirectly any
- i. item(s) herein listed ("Item(s)"); and/or
  - ii. any intellectual property; and/or
  - iii. know-how; and/or
  - iv. any other confidential information whatsoever supplied or brought to attention to the Customer/Recipient howsoever

WIKAL Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
[info@wika.de](mailto:info@wika.de)  
[www.wika.de](http://www.wika.de)  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKAL International SE – Pöb Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60

# Invoice

43327028 DELTA TECH GmbH, Hamburg

Page 5 / 5

06/03/2025

under or in connection with this Agreement.

(2) The Customer/Recipient shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

(3) The Customer/Recipient shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

(4) Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this Agreement, and WIKA shall be entitled to seek appropriate remedies, including, but not limited to:

i. termination of this Agreement; and/or

ii. a penalty of 10 % of the total value of this Agreement or price of the items exported, whichever is higher.

(5) The Customer/Recipient shall immediately inform WIKA about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1).

The Customer/Recipient shall make available to WIKA information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

#####

Sales group	Maria Stamm
Phone	+49 9372 132-8814
E-Mail	Maria.Stamm@wika.com

WIKI Alexander Wiegand SE & Co. KG  
Alexander-Wiegand-Straße 30  
63911 Klingenberg  
Germany  
Phone +49 9372 132-0  
Fax +49 9372 132-406  
info@wika.de  
www.wika.de  
WEEE-Reg-Nr. DE 92770372  
VAT.No.: DE131878642

Limited partnership company:  
Place of business Klingenberg  
Local court Aschaffenburg HRA 1819  
General partner:  
WIKI International SE – Pöb Klingenberg  
Local court Aschaffenburg HRB 10505  
Chairman of the board: Alexander Wiegand  
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:  
Commerzbank Aschaffenburg  
BIC: COBADEFF795  
IBAN DE57 7954 0049 0104 1177 00  
Sparkasse Aschaffenburg Miltenberg  
BIC: BYLADEM1ASA  
IBAN: DE95 7955 0000 0430 1062 94  
Sydbank (DKK Payments)  
BIC: SYBKDK22  
IBAN: DK02 8072 0001 0403 60