

Pro forma confirmation

Page 1 / 6

WIKAL Alexander Wiegand SE & Co. KG
PF 1180 • 63908 Klingenberg • Germany

DELTA TECH GmbH
Farshad Shoarian
ALSTER TOWER
Lübecker Straße 1
22087 Hamburg
Germany

Delivery address

Engemann u. Co Internationale Spedition GmbH
For Alfons Köster / in order Delta GmbH
Otto-Hahn-Str. 29
40721 Hilden
Germany

Sales order confirmation

S110243933-1

17/10/2024

Customer no.	43327028	Sales order no.	S110243933
Order date	17/10/2024	Contact	Andreas Vallelonga
Contact	Farshad Shoarian	Phone	+49 9372 132-2713
VAT-No.	DE4871404580	Telefax	+49 9372 132-802727
		E-Mail	Andreas.Vallelonga@wika.com
Terms of payment	30 days net	Delivery date	- see position -
Discount	no cash discount	Confirmation type	Arriving
Currency	EUR	Mode of delivery	Special Agreement
Invoice address	DELTA TECH GmbH ALSTER TOWER Lübecker Straße 1 22087 Hamburg Germany	Terms of delivery	FCA - Free CARRIER

Thank you for the order you placed with us. We will execute it in accordance with our terms of sale and delivery, which you can find at www.wika.de.

Line	Qty Unit	Item	Delivery date (planned)	Unit price	per	Net value
001	2,0000 Pcs	BNA-CMB02200120-0451220A04371CZS BNA-BM1GBA521RZZB2ZZA521B2ZZ2SKTR355Z2ZZ3# BMD-CM20925L1PZZ BLM-CMFZ8M241220Z3 CERT31-EG87-BH-CH- - - - - CERT31-EG83-A1- - - - - BNA-2"/300/RF-MG-M1,220-L60x2.77-MRFV/SVP-ZTSS355/PN25/R48H-Ex Magnetic Level Gauge Type BNA-S00C Approval: ATEX Ex h; IBExU20ATEX1066 X II 1/2G Ex h IIB T6...T1 Ga/Gb, II -/2D Ex h IIIC T68°C...T360°C -/Db Pressure: 22.0 bar ; Temp.: -45 °C...120°C; Fluid density: 437 kg/m³ Design code: ASME B31.3 Test pressure: 33 bar Chamber dimensions: OD 60.3 x 2.77 mm (2" Sch. 10S) Duo stainless steel 316/316L (EN 1.4401/1.4404) Process connection: Flange ASME B16.5 2" 300# Form RF Distance C-to-C: 1220 mm	Not confirmed	9.075,6700	/1	18.151,34

WIKAL Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKAL International SE – Pöb Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM11ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60

Order confirmation **S110243933-1**
43327028 DELTA TECH GmbH, Hamburg

Page 2 / 6
17/10/2024

Line	Qty	Unit	Item	Delivery date (planned)	Unit price	per	Net value
------	-----	------	------	----------------------------	------------	-----	-----------

Measuring range: 925 mm
Chamber end top: Pipe cap
Chamber end bottom: Flange ASME B16.5 2" 300# Form RF
Vent connection: Needle valve female 3/4"NPT
Drain connection: Needle valve female 3/4"NPT
Float: ZTSS355/PN25/R48H
Dampening element: Dampening spring, bottom & top, with cover
Gasket(s): Spiral wound type, SS 316L/Graphite
Bolting: UNC series, stainless steel A193 Gr. B8 CL2 / A194 Gr. 8
Top stand-off (T): 100 mm
Bottom stand-off (U): 250 mm
Distance lower process connection to end of the drain: 420 mm (max.)
Side distance (X): 170mm(maximal)
Nameplate: Stainless steel laser printed

Additional ordering information: Drain Valve bend by 90 Deg angle at 180 Deg

MRFV/SVP-M925
Level Indicator for Magnetic Level Gauge Type BMD-FR
Measuring range: 925 mm
Housing material: Stainless steel, 316
Indicating elements: Stainless steel flaps Red & white
Graduated scale: Stainless steel engraved, left Graduation unit: %
Indicator window: Makrolon PC
Float failure indication: With (red-white)

BLM-TBI-VL1,075/M925
Magnetostrictive Level Transmitter for Magnetic Level Gauge Type BLM-TBI
Approval: ATEX - Ex i ; TÜV 18 ATEX 225120 X II 2 G Ex ia IIC T6...T1 Gb; II 2 D Ex ia IIC TX°C Db
Ambient temperature: -20°C ... +85°C
Material housing: Stainless steel IP68
LCD display: With
Electrical connection: M20 x 1.5 mm with cable gland
Output signal: 4-20 mA - HART Ver. 6
Housing location: Bottom mounted straight - housing orientation 9 o'clock / 270°
Guide tube: OD 12 mm
Measuring range: 925 mm
Sensor tube length: 1075 mm

Permissible temperatures for the transmitter bypass mounting (BLM): Permissible surface temperature of the tube and ambient temperature of the housing see note in OI
Inspection certificate 3.1 per EN 10204
Certificate type: Inspection certificate acc. to DIN EN 10204 3.1
Certificate Language: English and German
Certificate for: Magnetic level gauge standard
Material certificate: Wetted pressure retaining parts material with mill certificate incl. chemical analysis (metals only)
Hydrostatic pressure test: Internal pressure test
Inspection certificate 3.1 per EN 10204

WIKAL Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKAL International SE – Pöb Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM1ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60

Order confirmation **S110243933-1**
 43327028 DELTA TECH GmbH, Hamburg

Page 3 / 6
 17/10/2024

Line	Qty	Unit	Item	Delivery date (planned)	Unit price	per	Net value
			Certificate type: Inspection certificate acc. to DIN EN 10204 3.1 Certificate Language: English and German Certificate for: Level transmitter for magnetic level gauge Accuracy: Test report confirming sensor accuracy TAG-1 (SS tag plate) LG-RU0001A-03; LG-RU0001B-03 Customs tariff number: 90261089 Level gauge, devices for measuring or monitor flow or fill height of liquids Country of origin: DE				
			Discount 31,00%		-5.626,92		
			Line total		12.524,42		
			Link to product details https://en-co.wika.de/bna_en_co.WIKA https://en-co.wika.de/bna_en_co.WIKA https://en-co.wika.de/bmd_en_co.WIKA https://en-co.wika.de/blm_en_co.WIKA				

WIKA Alexander Wiegand SE & Co. KG
 Alexander-Wiegand-Straße 30
 63911 Klingenberg
 Germany
 Phone +49 9372 132-0
 Fax +49 9372 132-406
 info@wika.de
 www.wika.de
 WEEE-Reg-Nr. DE 92770372
 VAT.No.: DE131878642

Limited partnership company:
 Place of business Klingenberg
 Local court Aschaffenburg HRA 1819
 General partner:
 WIKA International SE – Pöb Klingenberg
 Local court Aschaffenburg HRB 10505
 Chairman of the board: Alexander Wiegand
 Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
 Commerzbank Aschaffenburg
 BIC: COBADEFF795
 IBAN DE57 7954 0049 0104 1177 00
 Sparkasse Aschaffenburg Miltenberg
 BIC: BYLADEM1ASA
 IBAN: DE95 7955 0000 0430 1062 94
 Sydbank (DKK Payments)
 BIC: SYBKDK22
 IBAN: DK02 8072 0001 0403 60

Order confirmation **S110243933-1**
43327028 DELTA TECH GmbH, Hamburg

Page 4 / 6
17/10/2024

Line	Qty Unit	Item	Delivery date (planned)	Unit price	per	Net value
002	2,0000 Pcs	<p>TLS-CBMDZ1000-04001501C1GA3ZZTG2ZZ0137C5Z CERT22-EG8T-AA- - - - - - CERT31-EG8T-BG- - - - - TLS-ADNPTV-3/4"-JT-L150 Tuning Fork Level Switch TLS-SAD Approval: ATEX Ex d Temp.: -40°C...150°C Material: Stainless steel 316L (DIN 1.4404) Power supply: DC 10 ... 30 V Output: Relay DPDT Electrical connection: Housing Aluminum Cable gland: M20x1,5 with cable gland Ingress protection: IP66/68 Process connection: Mounting thread downwards 3/4"NPT Switch position 1: 137 mm Insertion length (L): 150 mm Extension: 86 mm Length of tuning fork: 42 mm Nameplate: Stainless steel laser printed</p> <p>Test report 2.2 per EN 10204 Certificate Language: English and German Certificate for: Vibrating level switch Formal certificate: Manufactured according to state-of-the-art Inspection certificate 3.1 per EN 10204 Certificate type: Inspection certificate acc. to DIN EN 10204 3.1 Certificate Language: English and German Certificate for: Vibrating level switch Material certificate: Wetted parts material (metal contents)</p> <p>TAG-1 (SS tag plate) LS-RU0001A-01; LS-RU0001B-01 Customs tariff number: 90318080 Level indicator Country of origin: DE</p> <p>Link to product details https://en-co.wika.de/tls_s_en_co.WIKA</p>	Not confirmed	464,4900	/1	928,98
003	1,0000 Pcs	<p>Documentation for Level Products Documentation includes: :: WIKA Designation :: - Document Index List - Dimensional drawings for approval with part list , Group drawings with detail list - Catalogue sheet - Installation and operating manual (IOM) - Pressure test certificate - Material certificate 3.1 EN 10204 - Accuracy test certificate of transmitters - Certificate 2.2 EN 10204 (order)</p>	Not confirmed	467,0000	/1	467,00

WIKA Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKA International SE – Pob Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM1ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60

Order confirmation **S110243933-1**
43327028 DELTA TECH GmbH, Hamburg

Page 5 / 6
17/10/2024

Line	Qty	Unit	Item	Delivery date (planned)	Unit price	per	Net value
------	-----	------	------	----------------------------	------------	-----	-----------

- ATEX conformity declaration
- Handling, transport and storage procedure

THIS OFFER DOES NOT INCLUDE FURTHER TESTING OR DOCUMENTATION THAN THE ONES LISTED ABOVE.
SHOULD FURTHER TESTING OR DOCUMENTATION (WHERE AVAILABLE AND APPLICABLE) BE REQUIRED IT CAN BE OFFERED AT EXTRA CHARGE.
NO OTHER TYPES OF TEST OR DOCUMENTATION WILL BE PROVIDED LATER AND/OR IN FUTURE, IF NOT PREVIOUSLY AGREED BEFORE ISSUING OF THE POSSIBLE ORDER.

If welding or NDT is on the documentation scope, please be aware:

Welding:

WIKA disposes over all necessary, valid procedure qualification records (PQR) and work samples for the materials offered.

Order-related WPS (Welding Procedure Specification) will only be made available once the associated drawings have been approved.

NDT:

The offered non-destructive tests are carried out according to valid existing WIKA procedures.

These procedures meet the requirements of the relevant DIN and ASME section V standards.

Additional customer requirements (with regards to welding and/or NDT) can be incorporated and included as an annex. Effort will be calculated and invoiced at actual

Customs tariff number: 49119900

Country of origin: DE

	EUR
Net value of goods	21.769,90
Discount	-4.728,51
Wooden Packaging	390,00
Total net amount	12.025,55
VAT 19.00 %	2.284,85
Total gross amount	14.310,40

Information regarding WIKA and our products are also included in the internet. Visit us at <http://www.wika.com> E-Mail: info@wika.de

The sales and service conditions of WIKA Alexander Wiegand SE & Co. KG apply, which you can find at https://www.wika.com/en-en/t_cs.WIKA.

Information regarding WIKA and our products as well as instruction manuals, CE Declaration of conformity and approvals can be found online at www.wika.de.

Fast calibration of temperature probes with the new standard line in our calibration lab!

If this is interesting for you please contact us, E-Mail: service.de@wika.com, Tel.: +49 9372 132 5049

WIKA Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30
63911 Klingenberg
Germany
Phone +49 9372 132-0
Fax +49 9372 132-406
info@wika.de
www.wika.de
WEEE-Reg-Nr. DE 92770372
VAT.No.: DE131878642

Limited partnership company:
Place of business Klingenberg
Local court Aschaffenburg HRA 1819
General partner:
WIKA International SE – Pöb Klingenberg
Local court Aschaffenburg HRB 10505
Chairman of the board: Alexander Wiegand
Chairman of the supervisory board: Prof. Dr. Roderich C. Thümmel

Bank account:
Commerzbank Aschaffenburg
BIC: COBADEFF795
IBAN DE57 7954 0049 0104 1177 00
Sparkasse Aschaffenburg Miltenberg
BIC: BYLADEM1ASA
IBAN: DE95 7955 0000 0430 1062 94
Sydbank (DKK Payments)
BIC: SYBKDK22
IBAN: DK02 8072 0001 0403 60

Order confirmation **S110243933-1**
43327028 DELTA TECH GmbH, Hamburg

Page 6 / 6
17/10/2024

#####

Export Restriction

(1) The Customer/Recipient shall not, at any time, sell and/or export and/or re-export, directly or indirectly,
a) to the Russian Federation; and/or
b) to territories occupied by Russian Federation; and/or
c) to the Republic of Belarus; and/or
d) for use in the Russian Federation; and/or
e) for use in territories occupied by Russian Federation; and/or
f) for use in the Republic of Belarus
directly or indirectly any
i. item(s) herein listed ("Item(s)"); and/or
ii. any intellectual property; and/or
iii. know-how; and/or
iv. any other confidential information whatsoever supplied or brought to attention to the Customer/Recipient howsoever under or in connection with this Agreement.

(2) The Customer/Recipient shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

(3) The Customer/Recipient shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

(4) Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this Agreement, and WIKAL shall be entitled to seek appropriate remedies, including, but not limited to:

- i. termination of this Agreement; and/or
- ii. a penalty of 10 % of the total value of this Agreement or price of the items exported, whichever is higher.

(5) The Customer/Recipient shall immediately inform WIKAL about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1).
The Customer/Recipient shall make available to WIKAL information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

#####

Sales group	Maria Stamm
Phone	+49 9372 132-8814
E-Mail	Maria.Stamm@wika.com